# Greenmood® Biophilic Design



**Product Specification Sheet** 

Connect with Greenmood





# Cascade

Design, decorative pieces with a hanging system containing preserved foliage.

#### Enhance your space with nature from above

Cascade is a suspended decorative element designed to bring preserved greenery into interiors. With three unique models and two sizes, it can be hung individually or combined in layered compositions, adapting easily to different ceiling heights.

Design by: Alain Gilles

# **Specifications**

Available in 3 forms - Straight, Curved, U-Shaped & 2 sizes

I 🏶 Installation: Can be grouped or layered at varying heights

Choice of 9 metal frame finishes

Choice of 8 folliages, faux foliage options available upon request

Modular hanging system, adjustable height and density



# **Powder Coatings**

#### **Matte Black**

Texture	Gloss Level	RAL	
---------	-------------	-----	--

#### **Matte Grey**

Texture	Gloss Level	RAL
Fine grainy	MAT/FS	7032

### **Matte White**

Texture	Gloss Level	RAL
Fine grainy	20+5	9000

#### Corten

Texture	Gloss Level	

#### **Sparkling Burgundy**

<b>Texture</b> Fine grainy	Gloss Level MAT/MFS

#### Gold

Texture	Gloss Level
Smooth Grainy	80+5

#### **Matte Blue**

Texture	Gloss Level	RAL
Fine grainy	MAT/FS	5014

#### **Sparkling Green**

Texture	Gloss Level	RAL	
Fine grainy	ME/METF	9010	

#### **Sparkling Red**

Gloss Level	RAL
81+5	3602

## **Amaranthus Green**







Lepto Green



Parvifolia Green



**Populus Green** 



Populus Red



Nicoly Green



**Nicoly Red** 



Harvested at maturity in South America & Europe, the plants are preserved through a substitution process where natural sap is gradually replaced by a glycerin solution. This maintains their flexibility, color, and texture for 5–7 years without watering or maintenance. Non-toxic and hypoallergenic, preserved foliage keeps its natural look while ensuring durability and ease of use indoors.

Origin	South America & Europe
Durability	100% Maintenance free, Indoor use only
Health	Non-toxic / Non-allergen
Lifespan	5 - 7 years
Safety	B-s2-d0 • FSI0/SDI15 • Fire rated
Sound absorption	Class D - NRC 0.35 (ISO 11654:1997)



