



Product Specification Sheet

Connect with Greenmood





Workplace acoustic dividers

G-Desk is a moss-covered desk partition designed to sit directly on work tables. With preserved greenery on both sides, it enhances privacy, reduces distractions, and brings biophilic softness to open-plan work environments.

Design by: Alain Gilles

Specifications

Available in 3 sizes

Choice of 9 metal frame finishes

Choice of 3 fillings

Acoustic desk divider, freestanding (no installation)



Powder Coatings

Matte Black

Texture	Gloss Level	RAL	
Fine texture	20+5	9005	

Matte Grey

Texture	Gloss Level	RAL
Fine grainy	MAT/FS	7032

Matte White

Texture	Gloss Level	RAL
Fine grainy	20+5	9000

Corten

Texture	Gloss Level
Coarse	81+5

Sparkling Burgundy

Texture	Gloss Level
Fine grainy	MAT/MFS

Gold

Texture	Gloss Level
Smooth Grainy	80+5

Matte Blue

exture Gloss Level	RAL
--------------------	-----

Sparkling Green

Texture	Gloss Level	RAL	
Fine grainy	ME/METF	9010	

Sparkling Red

Texture	Gloss Level	RAL
Coarse texture	81+5	3602

Reindeer Moss



Origin	Scandinavia
Durability	No watering required, no sunlight, no pruning or trimming
Health	Non-toxic / Non-allergen
Lifespan	+/- 10 years
Safety	B-s2-d0 • FSI0/SDI15 • Fire rated
Sound absorption	Class D - NRC 0.35 (ISO 11654:1997)

	Colors	
713	23	200
Apple - 55	Light Grass - 79	Grass Green - 78
STATE OF THE STATE	60	
Pacific - 87	Royal Blue - 74	Purple - 67
TO SE	1	WAS.
Fuchsia - 69	Red - 57	Orange - 51
1	ANS.	10
Mentha - 54	Medium - 70	Burgundy - 63
190	CAN TO	PAR
Erica - 53	Natural - 56	Yellow - 60

Ball Moss



Origin	Europe
Durability	No watering required, no sunlight, no pruning or trimming
Health	Non-toxic / Non-allergen
Lifespan	7 - 10 years
Safety	B-s1-d0 • FSI 0 / SDI 10
Sound absorption	Class D - NRC 0.73 (ISO 11654:1997)





LIGHT - GBM1



DARK - GBM5

Cork



Origin	Europe
Durability	Stable, vapor-permeable. Not affected by rodents or chemical agents
Health	Non-toxic, dust-free, allergen-free
Sustainibility	PEFX, FSC, fully biodegradable
Sound absorption	Class E - NRC 0.2 (ISO 11654:1997)

