



Framed

Product Specification Sheet

Connect with Greenmood



Framed

Framed wall panels in oak wood with preserved greenery



Unlimited stories within a single frame

Framed is a series of acoustic wall panels crafted from moss and preserved foliage, elegantly enclosed in massive oak frames. With four sizes and multidirectional hanging possibilities, the collection offers designers creative freedom while enhancing interiors with both visual and acoustic comfort.


Design by: Alain Gilles

Specifications


- Available in 3 sizes and 4 models (Geometric, Landscape, Synergy & Customized)
- Natural preserved moss absorbs ambient noise, certified in labs
- Choice of 5 fillings (mosses, lichen, wild plants, mirror, whiteboard)
- Frame Material: Solid oak matte varnish finish



DIMENSIONS



FRAME FINISHES



Reindeer Moss



Origin	Scandinavia	
Durability	No watering required, no sunlight, no pruning or trimming	
Health	Non-toxic / Non-allergen	
Lifespan	+/- 10 years	
Safety	B-s2-d0 • FSI0/SDI15 • Fire rated	
Sound absorption	On Class D - NRC 0.35 (ISO 11654:1997)	

	Colors	
113	238	
Apple - 55	Light Grass - 79	Grass Green -
Z M	60	9
Pacific - 87	Royal Blue - 74	Purple - 67
The		26
Fuchsia - 69	Red - 57	Orange - 51
100	NY B	1
Mentha - 54	Medium - 70	Burgundy - 63
	A 100	south.

Ball Moss



Origin	Europe
Durability	No watering required, no sunlight, no pruning or trimming
Health	Non-toxic / Non-allerger
Lifespan	7 - 10 years
Safety	B-s1-d0 • FSI 0 / SDI 10
Sound absorption	Class D - NRC 0.73 (ISO 11654:1997)




DARK - GBM5

Forest



Origin	Europe	
Durability	No watering required, no sunlight, no pruning or trimming	
Health	Non-toxic / Non-allergen	
Lifespan	5 - 7 years	
Conditions of use	Indoor use only, Recommended humidity: 40% to 80%	
Sound absorption	May vary depending on density and layout	





Velvet Leaf



Origin	South Africa
Durability	No watering required, no sunlight, no pruning or trimming
Health	Non-toxic / Non-allergen
Lifespan	5 - 7 years
Conditions of use	Indoor use only, Recommended humidity: 30% to 80%
Sound absorption	Class C - NRC 0.65 (ISO 11654:1997)






Saffron



Wild Mint



Framed | Wall panel

 $\mathsf{Greenmood}^{^{\scriptscriptstyle{\texttt{\tiny \$}}}}$